=> IFW: Scan as Doc Code: SRNT <= Doc Date:

TC 3700 Inventor Search Program

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

Serial Number: 10/7-90, 123

1.) See <u>attached</u> printout of inventors listed in PALM

2.) See <u>attached</u> EAST Inventor Search Printout shows Inventor search terms

PALM INTRANET

Day: Tuesday Date: 11/21/2006

Time: 16:31:19

Inventor Information for 10/790123

Inventor Name	City .	State/Country
TANAKA, TOSHINORI	TOKYO	JAPAN
OKAMOTO, KIYOHIDE	TOKYO	JAPAN
MATSUI, YUUSUKE	TOKYO	JAPAN
YAMAMOTO, KYOUHEI	TOKYO	JAPAN
ISONO, SHUJI	TOKYO	JAPAN
MEGATA, HIDEKI	TOKYO	JAPAN
FUKAZAWA, KEIICHI	TOKYO	JAPAN
OHATA, KATSUMI	TOKYO	JAPAN
FUJIMOTO, KENGO	TOKYO	JAPAN

Appln Info Contents Petition Info	Atty/Agent Info	Continuity/Re	eexam Foreign D
Search Another: Application#	Search 01	r Patent#	Search
PCT / /	Search or PC	G PUBS #	Search
Attorney Docket #		Search	
Bar Code #	Search		

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page

1	US ·	20061003	Method for	29/596	242/433.3;	Tanaka;
1	7114236	20001000	manufacturing an		29/597;	Toshinori
	B2		armature for a		29/598;	et al.
	BZ		dynamo-electric		29/605;	,
			machine having		29/606;	• 00
			offsetting and		29/609;	
			overlapping coils		310/179;	
			overlapping cons	·	310/1/9,	
1	US	20051004	Datama alastria	310/248	310/233;	Tanaka;
1		20031004	Rotary electric	310/246	451/418	Toshinori
	6952067		machine and a		431/416	et al.
	B2		method of			et al.
	TIC	20050027	producing the same	310/234	310/233	Nolsossomos
1	US	20050927	Commutator	310/234	310/233	Nakayama;
	6949859		assembly for motor	. !		Eiji et al.
-	B2	20050020	D -4441-	310/218	210/170	Akutsu;
1	US	20050830	Rotation angle	310/218	310/179;	Satoru et
	6936949		detecting apparatus		310/216;	
	B2				310/217;	al.
				210/216	310/261	m 1
1	US	20050419	Permanent magnet	310/216	310/254	Tanaka;
	6882080		synchronous motor			Toshinori
	B2		:			et al.
1	US	20050405	Permanent magnet	310/156.47	310/254	Nakano;
	6876116		motor			Masatsugu
	B2					et al.
1	US	20050208	Permanent magnet	310/156.47	310/254	Nakano;
	6853105		motor			Masatsugu
	B2					et al.
1	US	20050118	Armature for a	310/195	310/179;	Tanaka;
	6844649		dynamo-electric	·	310/184;	Toshinori
	B2		machine having		310/204	et al.
			offsetting and			
	, .		overlapping coils			
1	US	20040907	Brush assembly	310/248	310/249;	Tanaka;
	6787963		,		310/251;	Toshinori
	B2				310/252;	et al.
					310/253	
1	US	20040810	Dynamo-electric	310/233	310/206;	Tanaka;
	6774525		machine		310/207;	Toshinori
	B2				310/71	et al.
1	US	20040615	Motor for use with	310/68B	310/89;	Okazaki;
	6750574		motorized power	_	310/90	Masafumi
	B2		steering apparatus			et al.
1	US	20040504	Brush motor for	310/233	310/235;	Tanaka;
1	6731040		electric power		310/236;	Toshinori
	B1		steering system		310/245;	et al.
Ц.		L		l <u> </u>		

.

					310/248	
1	US	20040316	Electric power	310/71	310/68B;	Akutsu;
	6707185		steering apparatus		310/89	Satoru et
	B2					al.
1	US	20040309	Dynamo-electric	310/198	310/195;	Tanaka;
	6703751		machine		310/197;	Toshinori
	B2				310/225;	et al.
					310/234	
1	US	20040106	Electric motor with	310/71	310/40R;	Yagyu;
	6674195		improved terminal		310/66;	Yasuhide
	B2		connector		310/68R	et al.
1	US	20030729	Electric motor	310/71		Okazaki;
1	6600244	20030123	Electric motor	310//1		Masafumi
	B2					et al.
1	US	20030114	Commutator motor	310/51	310/233;	Nakano;
1	6507132	20030114	with a vibration-	310/31	310/235	Toshihiro
					310/233	et al.
	B2		isolating member around shaft			et al.
1	US	20021008	Rotary electric	310/207	310/185;	Yamamoto
	6462454		machine		310/198	Kyouhei et
	B2				•	al.
1	US	20021008	Permanent magnet	310/156.47	310/156.43	Nakano;
	6462452		motor			Masatsugu
	B2					et al.
1	US	20020820	Electric power	464/29	180/443;	Tanaka;
	6435971		steering apparatus		310/94	Toshinori
	B1					
1	US	20020514	Motor for an	310/179	310/204;	Tanaka;
	6388355		electric power		310/206;	Toshinori
	B2		steering assembly		310/233	et al.
1	US	20020514	Motor for an	310/179	310/206;	Tanaka;
	6388354		electric power		310/233	Toshinori
	B1		steering assembly			et al.
1	US	20011211	Commutator motor	310/239	310/89	Tanaka;
1		\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Commutator motor	1 310/233	1 210/02	
1	6329735	20011211	Commutator motor	310/239	. 510/69	Toshinori
1		20011211	Commutator motor		7 310/09	Toshinori et al.
	6329735 B1					et al.
1	6329735 B1 US	20010522	Commutator motor	310/233	310/204;	į.
	6329735 B1 US 6236137				310/204; 310/206;	et al. Tanaka; Toshinori
1	6329735 B1 US 6236137 B1	20010522	Commutator motor	310/233	310/204; 310/206; 310/234	et al. Tanaka; Toshinori et al.
	6329735 B1 US 6236137 B1 US		Commutator motor Dynamo-electric		310/204; 310/206; 310/234 310/198;	et al. Tanaka; Toshinori et al. Tanaka;
1	6329735 B1 US 6236137 B1 US 6218755	20010522	Commutator motor Dynamo-electric machine and	310/233	310/204; 310/206; 310/234 310/198; 310/234;	et al. Tanaka; Toshinori et al. Tanaka; Toshinori
1	6329735 B1 US 6236137 B1 US	20010522	Commutator motor Dynamo-electric machine and method of	310/233	310/204; 310/206; 310/234 310/198;	et al. Tanaka; Toshinori et al. Tanaka;
1	6329735 B1 US 6236137 B1 US 6218755	20010522	Dynamo-electric machine and method of manufacture	310/233	310/204; 310/206; 310/234 310/198; 310/234;	et al. Tanaka; Toshinori et al. Tanaka; Toshinori
1	6329735 B1 US 6236137 B1 US 6218755	20010522	Commutator motor Dynamo-electric machine and method of	310/233	310/204; 310/206; 310/234 310/198; 310/234;	et al. Tanaka; Toshinori et al. Tanaka; Toshinori

	B1		commutator assembly		310/DIG.6	al.
1	US 6127759 A	20001003	Motor for an electric power steering assembly	310/233	310/179; 310/198; 310/234; 310/235; 310/249; 310/264	Tanaka; Toshinori et al.
1	US 6075305 A	20000613	Dynamo-electric machine	310/233	310/128; 310/133; 310/180; 310/204; 310/231; 310/234; 310/72	Daikoku; Akihiro et al.
1	US 6057626 A	20000502	Commutator for a dynamo-electric machine and method of manufacture therefor	310/233	29/597; 310/204; 310/235; 310/236; 310/43	Tanaka; Toshinori et al.
1	US 6057623 A	20000502	Dynamo-electric machine having a hook shaped commutator and equalizer attached thereto	310/206	310/204; 310/205; 310/220; 310/221; 310/233; 310/234	Tanaka; Toshinori et al.
1	US 6043581 A	20000328	Dynamo-electric machine and method of manufacture therefor	310/197	29/597; 310/180; 310/195; 310/225; 310/234	Tanaka; Toshinori et al.
1	US 6000689 A	19991214	Automatic paper feeder	271/10.11	271/122; 271/125; 271/126; 271/127	Furuki; Ichiro et al.
1	US 5777412 A	19980707	Throttle actuator	310/83	123/337; 251/129.11	Yamamoto; Kyouhei
1	US 5676477 A	19971014	Sheet carrying apparatus	400/579	101/228; 250/559.37; 271/227	Tanaka; Naoya et al.
1	US 5609428 A	19970311	Sheet carrying apparatus	400/579	101/228; 250/559.37; 271/227	Tanaka; Naoya et al.
1	US	19961210	Method for making	101/32	101/170;	Tanaka;

•		5582103 A		an anti-counterfeit latent image formation object for bills, credit cards,		101/3.1; 283/91; 283/93	Toshinori et al.	
				etc.				•
	1	US 5443579 A	19950822	Printed matter and method for printing the same	283/93	-	Tanaka; Toshinori et al.	
}	1	US	19950801	Anti-counterfeit	428/29	101/150;	Tanaka;	
	1	5437897 A	17770001	latent image formation object for	420129	428/195.1; 428/30;	Toshinori et al.	
	•			bills, credit cards, etc. and method for making the same		428/915; 428/916		
	1	US	19941025	AC generator with	310/216	29/596;	Tanaka;	
	•	5359249 A		tapered slots		310/42	Toshinori	
	1	US 5281575	19940125	Laser ablation method for forming	505/474	427/126.3; 427/314;	Hase; Takashi et	
		A .		oxide superconducting films		427/557; 427/596; 427/62;	al.	
				Illins		505/730; 505/732		•
	1	US 5250864 A	19931005	AC generator for vehicles	310/58	310/89	Kusumoto; Katsuhiko et al.	
	1	US 5241230 A	19930831	Cooling fan with reduced noise capability in an AC generator	310/62	29/889.7; 416/223R	Tanaka; Toshinori et al.	,
	1	US 5235229 A	19930810	Vehicular AC generator	310/62	310/63; 310/89	Tanaka; Toshinori et al.	
	1	US 5233255 A	19930803	AC generator for vehicles	310/263	310/179	Kusumoto; Katsuhiko et al.	
	1	US 5232027 A	19930803	Apparatus for serving soft ice cream or the like	141/270	141/114; 141/252; 141/269; 141/276;	Tanaka; Toshinori et al.	
						141/276, 141/284; 141/81; 222/103;		
						222/103; 222/105; 222/95;		

			•	•			
					426/516		
1	US	19921208	Food containing	426/658	426/565;	Harada;	
	5169671	1772	fructose polymer	,	426/570;	Tsutomu et	
	A		II WOOD FILE		426/589;	al.	•
	11		·		426/590;	"	
					426/603;		
					426/605;		
					426/613;		
					426/652;		
					426/653;		
					426/804		
1	US	19921103	Thermal printer	347/219	101/408;	Fukumoto;	
1	5160944	19921105	with anti-slip sheet	JT11217	346/134;	Hiroshi et	
	A		conveying		347/176;	al.	
	7 1		mechanism		400/578;		
					400/611;	.	·
					400/612;	1.	•
			·		400/618;		
					400/636		
1	US	19921027	Starter apparatus	74/7E	74/7R;	Morishita;	
	5157978		with planetary		74/DIG.10	Akira et al.	
	A		speed reduction			.	
			gear				
1	US	19920505	Engine starter with	310/88	277/562;	Tanaka;	
	5111093		dust seal		310/83;	Toshinori	
	Α		arrangement		74/7A		
1	US	19920331	Starter motor	290/48	310/88;	Isozumi;	
	5101114				310/89;	Shuzou et	
	A		11 0180		74/6; 74/7A	al.	
1	US	19910528	Dc motor for	310/233	310/83	Isozumi;	
	5019739		automotive engine			Shuzoo et	
	A		starter			al.	
1		19910507	Pinion shifting	74/7A	123/179.25;	Morishita;	
	5012686		mechanism of an		290/48;	Akira et al.	
	A		engine starter	005/05-	74/6; 74/7R	m :	
1		19910108	Electromagnetically	335/255	335/260	Tanaka;	
	4983941		operated switch			Toshinori	
	A	10001210		210/02	210/71		
1	i i	19901218	Coaxial type engine	310/83	310/71	Isozumi;	
	4978874		starter with hollow			Shuzoo et	
-	A	10000005	armature shaft	100/600	100/604	al.	
1		19900925	Paper feeder for	400/629	400/624;	Kobayashi;	÷
	4958950		printer		400/628;	Yousuke et	
<u> </u>	A	10000610	DC	210/222	400/649	al.	
1	US	19900612	DC motor having	310/233	310/234;	Tanaka;	
	4933587		improved contact	<u></u>	310/45;	Toshinori	

						,
	A		between commutator and		310/71	et al.
			armature			
1	US 4926705 A	19900522	Starter device for internal combustion engines	74/6	123/179.25; 74/7R	Morishita; Akira et al.
1	US 4913689 A	19900403	Pulley with a high- friction groove surface and manufacturing method therefor	474/170	474/174	Morishita; Akira et al.
1	US 4905361 A	19900306	Method for manufacturing pulley with a high-friction groove surface	29/892		Morishita; Akira et al.
1	US 4900945 A	19900213	Engine starter	290/48	310/42; 74/7C	Isozumi; Shuzoo et al.
1	US 4899605 A	19900213	Starter with planet gear speed reducer	74/7E	277/640; 475/149; 475/331	Tanaka; Toshinori
1	US 4895233 A	19900123	Electromagnetic coupling apparatus equipped with heat pipes	192/21.5	188/264CC; 188/267; 192/113.23	Inoue; Hitoshi et al.
1	US 4894905 A	19900123	Method of forming armature core of electric rotating machine	29/598	29/605; 29/609; 310/217; 310/42; 72/142	Tanaka; Toshinori et al.
1	US 4894904 A	19900123	Method of forming armature core of electric rotating machine	29/598	29/605; 29/609; 310/217; 310/42; 72/142	Tanaka; Toshinori et al.
1	US 4893042 A	19900109	Rotor for DC motor	310/216	310/195; 310/261; 310/42	Tanaka; Toshinori
1	US 4886306 A	19891212	Starter	290/48	74/7R	Tanaka; Toshinori et al.
1	US 4876473 A	19891024	Armature	310/216	310/208; 310/215; 310/261; 310/45	Tanaka; Toshinori et al.

1	US 4868442 A	19890919	Disk commutator starter with one- piece cup-shaped case	310/239	123/179.25; 290/48; 310/237; 310/89	Isozumi; Shuzoo et al.
1	US 4868407 A	19890919	Engine starter motor	290/48	74/7A	Isozumi; Shuzo et al
1	US 4859895 A	19890822	Armature coil slots having grooves formed in its throat	310/261	310/216	Morishita; Akira et al.
1	US 4856631 A	19890815	Permanent magnet coupling torque limiter	192/21.5	192/110R; 192/56.1; 464/29	Okamoto; Kiyohide e al.
1	US 4855610 A	19890808	Starting electric motor	290/48	74/7A	Morishita; Akira et al.
1	US 4853570 A	19890801	Coaxial engine starter with hollow shaft clutch	310/78	310/43; 310/89	Isozumi; Shuzoo et al.
1	US 4852417 A	19890801	Starter for engine	74/7E	310/83; 335/131; 475/149; 475/269; 74/7A; 74/7C	Tanaka; Toshinori
1	US 4851727 A	19890725	Permanent magnet type electric motor	310/154.16	310/154.26; 310/254; 310/40MM	Tanaka; Toshinori
1	US 4838100 A	19890613	Starter for engine	74/7A	290/38R; 310/154.09; 310/78; 310/92; 335/126; 74/7C; 74/7R	Tanaka; Toshinori
1	US 4831895 A	19890523	Starting motor	475/347	192/107R; 411/163; 475/265; 74/7E	Tanaka; Toshinori et al.
1	US 4819975 A	19890411	Engine starter motor	290/48	290/38R; 74/461; 74/640; 74/7E	Morishita; Akira et al.
1	US 4816712 A	19890328	Thrust compensation for flat-commutator	310/237	310/80	Tanaka; Toshinori

1 US				stortor			
A808836	<u></u>	110	10000000		200/49	71.16	Igogramia
Novable stand	1		19890228	-	290/48	/4/6	
1 US		4808836		starter	•		Shuzo et al.
A A B B B B B B B B		Α		_			
4770384 A Data storage unit	1	US	19880913	Movable stand	248/281.11	248/280.11;	Kuwazima;
A 1 US						362/402:	- 1
1 US							i i
Arg 19880405	1		10000410	Data starage unit	225/270		
A	1		19880419		2331319	_	
1 US				system		902/26	
A736178							
A	1	US	19880405	Lead-out	335/299	336/192	
A		4736178		arrangement for an			Toshinori
Switch		Α					
1 US							
A Toshinori Toshinori A Toshinori Toshinori A Toshinori Toshinori A Toshinori Toshinori Toshinori A Toshinori Toshinori Toshinori Toshinori Toshinori Toshinori Tosh	1	ZII	19880223		310/154 29		Tanaka:
A	1		17000223	_	310,131.27		,
US	1			type electric illotor			1 031111011
1 US	-		10070 (00	D1	225/202	225/270	Tanalari
A	1		19870630	. •	335/202	333/2/8	
1 US		4677407		switch		•	
A		Α .					et al.
4664238	1	US	19870512	Electromagnetic	192/84.961	192/113.5;	Nishino;
A		4664238	•	. •		192/48.2	Hiroshi et
1 US						9	al.
4622930	1		10861118	Engine starter	477/99	123/179 1	
A	1		19001110		7/1/22		1 ' 1
1 US				protecting device			isao et ai.
1 US 4621197 A 19861104 19861014 Multi-function starter 290/38R 318/4 290/48; 318/4 Tanaka; Toshinori 1 US 4616740 A 19861014 Magnetic particle type electromagnetic coupling apparatus 192/21.5 192/212 Okamoto; Kiyohide e al. 1 US 4613007 A 19860923 Multi-function starter device 180/89.15 290/1R; 307/10.6 Tanaka; Toshinori et al. 1 US 4611697 A 19860916 Electromagnetic powder coupling with cooling fins 192/21.5 192/113.21 Okita; Ryosuke e al. 1 US 4596159 19860624 Starting system for internal combustion 74/7R 290/38R; 310/248; Hamano; Isao et al.		A	•				
4621197							
A	1		19861104	Multi-function	290/38R	·	
1 US 19861014 Magnetic particle type 192/21.5 192/212 Okamoto; Kiyohide eal. 1 US 19860923 Multi-function starter device 180/89.15 290/1R; Tanaka; Toshinori et al. 1 US 19860916 Electromagnetic powder coupling with cooling fins 192/21.5 192/113.21 Okita; Ryosuke eal. 1 US 19860624 Starting system for internal combustion 74/7R 290/38R; Hamano; Isao et al.	1	4621197		starter		318/4	Toshinori
4616740 type Kiyohide eal. 1 US 19860923 Multi-function starter device 180/89.15 290/1R; 307/10.6 Tanaka; Toshinori et al. 1 US 19860916 Electromagnetic powder coupling with cooling fins 192/21.5 192/113.21 Okita; Ryosuke eal. 1 US 19860624 Starting system for internal combustion 74/7R 290/38R; Hamano; Isao et al.		Α			•	•	
4616740 type Kiyohide eal. 1 US 19860923 Multi-function starter device 180/89.15 290/1R; 307/10.6 Tanaka; Toshinori et al. 1 US 19860916 Electromagnetic powder coupling with cooling fins 192/21.5 192/113.21 Okita; Ryosuke eal. 1 US 19860624 Starting system for internal combustion 74/7R 290/38R; Hamano; Isao et al.	1	US ·	19861014	Magnetic particle	192/21.5	192/212	Okamoto;
A electromagnetic coupling apparatus	1	1	-				
1 US 19860923 Multi-function starter device 180/89.15 290/1R; 307/10.6 Tanaka; Toshinori et al. 1 US 19860916 Electromagnetic powder coupling with cooling fins 192/21.5 192/113.21 Okita; Ryosuke e al. 1 US 19860624 Starting system for internal combustion 74/7R 290/38R; Hamano; Isao et al.							
1 US 4613007 A 19860923 Multi-function starter device 180/89.15 290/1R; 307/10.6 Tanaka; Toshinori et al. 1 US 4611697 A 19860916 Electromagnetic powder coupling with cooling fins 192/21.5 192/113.21 Okita; Ryosuke e al. 1 US 4596159 19860624 Starting system for internal combustion 74/7R 290/38R; 310/248; Hamano; Isao et al.		Δ.					31.
4613007 starter device 307/10.6 Toshinori et al. 1 US 19860916 Electromagnetic powder coupling with cooling fins 192/21.5 192/113.21 Okita; Ryosuke e al. 1 US 19860624 Starting system for internal combustion 74/7R 290/38R; Hamano; Isao et al.		LIC	10060002		100/00 15	200/10	Topolese
A	1	1	19860923		180/89.15	· ·	
1 US 19860916 Electromagnetic powder coupling with cooling fins 192/21.5 192/113.21 Okita; Ryosuke e al. 1 US 19860624 Starting system for internal combustion 74/7R 290/38R; Hamano; Isao et al.		l		starter device		30//10.6	
4611697 powder coupling with cooling fins Ryosuke e al. 1 US							ļ
A with cooling fins al.	1	US	19860916	Electromagnetic	192/21.5	192/113.21	1 '
A with cooling fins al.		4611697		powder coupling	•		Ryosuke et
1 US 19860624 Starting system for internal combustion 74/7R 290/38R; Hamano; 310/248; Isao et al.							
4596159 internal combustion 310/248; Isao et al.	1		19860624		74/7R	290/38R:	
1 10,000 1	*		17000024			1	
A				!	1	318/293	1540 50 41.
	-		10060500		200/205		Homens
1 US 19860520 Automatic starter 290/38E 74/513 Hamano;	1		19860520	Automatic starter	290/38E	/4/513	1
4590385 Isao et al.		4590385					Isao et al.
A		A					

.

1	US 4570583 A	19860218	Engine starter protecting device	477/99 ·	123/179.1; 123/179.3; 290/37A; 290/38D	Hamano; Isao et al.
1	US 4559455 A	19851217	Accessory carrying type starting motor	290/38R	318/4	Tanaka; Toshinori
1	US 4558992 A	19851217	Pump device	417/250	417/350	Hamano; Isao et al.
1	US 4553441 A	19851119	Starting system for internal combustion engine	74/ 7 R	290/38R; 310/92	Hamano; Isao et al.
1	US 4551640 A	19851105	Dual electronic switching device with reduced external terminals	327/514	327/478	Fukuyama; Toshifumi et al.
1	US 4543923 A	19851001	Engine starter	123/179.31	123/179.25; 74/6	Hamano; Isao et al.
1	US 4538085 A	19850827	Magneto-type D-C electric motor	310/239	310/154.16; 310/89	Tanaka; Toshinori
1	US 4525632 A	19850625	Starter motor for an internal combustion engine	290/38R	290/38A; 290/38B; 290/48; 310/87; 310/88; 74/7A; 74/7B; 74/7R	Tanaka; Toshinori
1	US 4507978 A	19850402	Starter	74/7E	475/269; 475/331; 475/343	Tanaka; Toshinori et al.
1	US 4500794 A	19850219	Apparatus for automatically starting and stopping engine	290/38C	123/146.5D; 123/179.3; 123/179.4; 290/37R; 290/38D	Hamano; Isao et al.
1	US 4497291 A	19850205	Full economizer for vehicles	123/179.4	123/179.16; 123/198DC	Hamano; Isao et al.
1	US	19850129	Starting device	123/179.31	123/179.19;	Morishita;
	4495905 A		Summing the vice		123/179.22; 123/179.25	Akira et al.

	4464595 A	·	magnet type D.C. motor having magnetic flux reducing pole pieces		29/596; 310/42; 72/325	Isao et al.
1	US 4454437 A	19840612	Stator frame and housing for venticular starting motor with reduction gears	310/83	310/154.08	Tanaka; Toshinori et al.
1	US 4223395 A	19800916	Volatile memory hold device	365/229	326/9; 327/198	Sakaguchi; Shunichi et al.

•